



# UNITED STATES PATENT AND TRADEMARK OFFICE

UNITED STATES DEPARTMENT OF COMMERCE  
United States Patent and Trademark Office  
Address: COMMISSIONER FOR PATENTS  
P.O. Box 1450  
Alexandria, Virginia 22313-1450  
www.uspto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
10/538,369	06/13/2005	Geoffrey F Burns	US02 0543 US	6028

65913 7590 01/06/2009  
NXP, B.V.  
NXP INTELLECTUAL PROPERTY DEPARTMENT  
M/S41-SJ  
1109 MCKAY DRIVE  
SAN JOSE, CA 95131

EXAMINER
----------

PETRANEK, JACOB ANDREW

ART UNIT	PAPER NUMBER
----------	--------------

2183

NOTIFICATION DATE	DELIVERY MODE
-------------------	---------------

01/06/2009

ELECTRONIC

**Please find below and/or attached an Office communication concerning this application or proceeding.**

The time period for reply, if any, is set in the attached communication.

Notice of the Office communication was sent electronically on above-indicated "Notification Date" to the following e-mail address(es):

ip.department.us@nxp.com

<b>Office Action Summary</b>	<b>Application No.</b> 10/538,369	<b>Applicant(s)</b> BURNS ET AL.	
	<b>Examiner</b> Jacob Petranek	<b>Art Unit</b> 2183	

-- The MAILING DATE of this communication appears on the cover sheet with the correspondence address --

### Period for Reply

A SHORTENED STATUTORY PERIOD FOR REPLY IS SET TO EXPIRE 3 MONTH(S) OR THIRTY (30) DAYS, WHICHEVER IS LONGER, FROM THE MAILING DATE OF THIS COMMUNICATION.

- Extensions of time may be available under the provisions of 37 CFR 1.136(a). In no event, however, may a reply be timely filed after SIX (6) MONTHS from the mailing date of this communication.
- If NO period for reply is specified above, the maximum statutory period will apply and will expire SIX (6) MONTHS from the mailing date of this communication.
- Failure to reply within the set or extended period for reply will, by statute, cause the application to become ABANDONED (35 U.S.C. § 133). Any reply received by the Office later than three months after the mailing date of this communication, even if timely filed, may reduce any earned patent term adjustment. See 37 CFR 1.704(b).

### Status

- 1) ☒ Responsive to communication(s) filed on 27 August 2008.
- 2a) ☐ This action is **FINAL**.                      2b) ☒ This action is non-final.
- 3) ☐ Since this application is in condition for allowance except for formal matters, prosecution as to the merits is closed in accordance with the practice under *Ex parte Quayle*, 1935 C.D. 11, 453 O.G. 213.

### Disposition of Claims

- 4) ☒ Claim(s) 1,2,4-8,13,15-18 and 20-25 is/are pending in the application.
- 4a) Of the above claim(s) \_\_\_\_\_ is/are withdrawn from consideration.
- 5) ☐ Claim(s) \_\_\_\_\_ is/are allowed.
- 6) ☒ Claim(s) 1,2,4-8,15-18,20-25 is/are rejected.
- 7) ☐ Claim(s) \_\_\_\_\_ is/are objected to.
- 8) ☐ Claim(s) \_\_\_\_\_ are subject to restriction and/or election requirement.

### Application Papers

- 9) ☐ The specification is objected to by the Examiner.
- 10) ☐ The drawing(s) filed on \_\_\_\_\_ is/are: a) ☐ accepted or b) ☐ objected to by the Examiner.  
Applicant may not request that any objection to the drawing(s) be held in abeyance. See 37 CFR 1.85(a).  
Replacement drawing sheet(s) including the correction is required if the drawing(s) is objected to. See 37 CFR 1.121(d).
- 11) ☐ The oath or declaration is objected to by the Examiner. Note the attached Office Action or form PTO-152.

### Priority under 35 U.S.C. § 119

- 12) ☐ Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f).
- a) ☐ All    b) ☐ Some \*    c) ☐ None of:
1. ☐ Certified copies of the priority documents have been received.
  2. ☐ Certified copies of the priority documents have been received in Application No. \_\_\_\_\_.
  3. ☐ Copies of the certified copies of the priority documents have been received in this National Stage application from the International Bureau (PCT Rule 17.2(a)).

\* See the attached detailed Office action for a list of the certified copies not received.

### Attachment(s)

- |  |   |
|--|---|
| 1) <input type="checkbox"/> Notice of References Cited (PTO-892)                     | 4) <input type="checkbox"/> Interview Summary (PTO-413)           |
| 2) <input type="checkbox"/> Notice of Draftsperson's Patent Drawing Review (PTO-948) | Paper No(s)/Mail Date. _____                                      |
| 3) <input type="checkbox"/> Information Disclosure Statement(s) (PTO/SB/08)          | 5) <input type="checkbox"/> Notice of Informal Patent Application |
| Paper No(s)/Mail Date _____  | 6) <input type="checkbox"/> Other: _____                          |

### **DETAILED ACTION**

1. Claims 1-2, 4-8, 13, 15-18, and 20-25 are pending.
2. A request for continued examination under 37 CFR 1.114, including the fee set forth in 37 CFR 1.17(e), was filed in this application after final rejection. Since this application is eligible for continued examination under 37 CFR 1.114, and the fee set forth in 37 CFR 1.17(e) has been timely paid, the finality of the previous Office action has been withdrawn pursuant to 37 CFR 1.114. Applicant's submission filed on 10/23/2008 has been entered.
3. The office acknowledges the following papers:  
Claims and arguments filed on 8/27/2008.

### ***Withdrawn objections***

4. The claim objection to claims 1 and 24-25 are withdrawn due to amendment.

### ***New Claim Rejections - 35 USC § 103***

5. The following is a quotation of 35 U.S.C. §103(a) which forms the basis for all obviousness rejections set forth in this Office action:

(a) A patent may not be obtained though the invention is not identically disclosed or described as set forth in section 102 of this title, if the differences between the subject matter sought to be patented and the prior art are such that the subject matter as a whole would have been obvious at the time the invention was made to a person having ordinary skill in the art to which said subject matter pertains. Patentability shall not be negated by the manner in which the invention was made.

6. Claims 1, 5-8, 13, 15-16, and 21-24 are rejected under 35 U.S.C. §103(a) as being unpatentable over Higuchi et al. (U.S. 5,822,605).
7. As per claim 1:

Higuchi disclosed a coprocessor coupled to a main processor having an execution speed greater than that of said processor (Higuchi: Figure 1 elements 100 and 140, column 8 lines 33-50)(Element 140 is the main processor and all of the processing element (100) combined make up the coprocessor. It's obvious to one of ordinary skill in the art that the coprocessor is faster executing instructions than the host processor.), the coprocessor comprising a two-dimensional array of processing cells (Higuchi: Figure 1 element 100)(The processing elements make up a 2-d array.), including a plurality of periphery cells located on peripheral sides of the array (Higuchi: Figure 1 element 100)(The processing elements make up a 2-d array. The processing elements on the outside of the 2-d array make up the periphery cells.); and

an interface module (Higuchi: Figure 1 elements 116 and 132-139), comprising:

a plurality of input/output (I/O) pads for the coprocessor (Higuchi: Figure 3 elements 30-32, column 14 lines 11-15)(Element 30 is an output pad for the processing element and elements 31-32 are input pads for the processing element. There are pluralities of these elements because elements 30-32 are replicated for each processing element.),

a plurality of border cells disposed along an outside of the two-dimensional array and surrounding the two-dimensional array, each border cell being connected to a corresponding one of the periphery cells, each border cell including a buffer (Higuchi: Figure 3 element 305, column 15 lines 8-16)(Output port buffers data being input to a processing element. The output buffers on the periphery side of the array surround the 2-d array.), and

a crossbar network for reconfigurably connecting each of the I/O pads to one of the border cells (Higuchi: Figures 1 and 3 elements 132-139 and 310, column 8 lines 33-40 and column 15 lines 1-7).

8. As per claim 5:

Higuchi disclosed inter-cell connection within the array is such that each cell of the array is connected only to cells whose column is the same and whose row is immediately adjacent, and only to cells whose row is the same and whose column is immediately adjacent (Higuchi: Figures 1 and 3 elements 132-139 and 310, column 8 lines 33-40 and column 15 lines 1-7)(The limitation allows for a cell to connect to any other cell in its same row and column. The limitation also allows for connecting to cells in a row/column immediately adjacent. For example, processing element 11 in the array connects to elements in the same row/column of processing element 11. Thus, reading on the claimed limitation.).

9. As per claim 6:

Higuchi disclosed the coprocessor of claim 1, wherein the coprocessor interface module and main processor of claim 1 and a shared memory that communicatively connects with the interface module and the main processor to provide the main processor to coprocessor connection (Higuchi: Figure 1 elements 100 and 140, column 8 lines 33-50)(Official notice is given that the host processor and coprocessor 2-D array can have a shared memory among themselves to store data. Thus, it's obvious to one of ordinary skill in the art that the host processor and coprocessor share a memory.).

10. As per claim 7:

Higuchi disclosed the coprocessor of claim 1, including an array processor that comprises said two-dimensional array (Higuchi: Figure 1 elements 100 and 140, column 8 lines 33-50)(All of the processing elements (100) combined make up the 2-D array.).

11. As per claim 8:

Claim 8 essentially recites the same limitations of claim 1. Therefore, claim 8 is rejected for the same reasons as claim 1.

12. As per claim 13:

Higuchi disclosed a functional unit having a two-dimensional array of processing cells and being coupled to a main processor (Higuchi: Figure 1 elements 100 and 140, column 8 lines 33-50)(Element 140 is the main processor and all of the processing element (100) combined make up the coprocessor.), the processing cells comprising non-periphery cells and periphery cells surrounding the non-periphery cells (Higuchi: Figure 1 element 100)(The inner 4 processing elements are the non-periphery cells surrounded by the outer 12 processing elements.), the unit having a mechanism external to the two-dimensional array for reconfiguring a plurality of intra-processor information paths to the array to respective said periphery cells only (Higuchi: Figure 1 elements 132, 135-136, and 139 and figures 5-6 elements 504-507 and 705, column 15 lines 54-61 and column 16 lines 31-54)(The crossbar control is external to the 2-D array and there are four crossbars (elements 132, 135-136, and 139) they are contained in that only service periphery cells. These crossbars reconfigure the message paths through controlling the switches connecting processing elements.).

13. As per claim 15:

The additional limitation(s) of claim 15 basically recite the additional limitation(s) of claim 5. Therefore, claim 15 is rejected for the same reason(s) as claim 5.

14. As per claim 16:

Higuchi disclosed the unit of claim 13, further including means for transmitting a plurality of array programs to corresponding predetermined subsets of said processing cells (Higuchi: Figure 1 elements 116 and 132-139)(The exchange and crossbar elements are able to transmit data to the processing elements.).

15. As per claim 21:

Higuchi disclosed the coprocessor of claim 1, wherein the array is rectangular (Higuchi: Figure 1 elements 100)(The array of processing elements is square. However, it's obvious to one of ordinary skill in the art that the array can be expanded in size to result in a rectangular shape. In addition, according to "In re Japikse" (181 F.2d 1019, 86 USPQ 70 (CCPA 1950)), shifting the location of parts doesn't give patentability over prior art.), wherein the periphery consists of those of said processing cells located in all of a first row, last row, first column and last column of said array (Periphery by definition is the boundary of an area (The American Heritage Dictionary of the English Language, Fourth Edition), therefore the periphery of the array is inherently the first row, last row, first column and last column.), and wherein the interface module's mechanism for reconfiguring a plurality of information paths reconfigures information paths directly connecting the interface module and each of the cells on the periphery of the array (Higuchi: Figures 1 and 3 elements 132-139 and 310, column 8 lines 33-40 and 15 lines 1-7)(The crossbar network allows for reconfiguring paths within the 2-D array.).

16. As per claim 22:

Higuchi disclosed the coprocessor of claim 1, wherein the interface comprises a plurality of border cells directly connected to the respective processing cells on the periphery of the array (Higuchi: Figure 3 element 305, column 15 lines 8-16)(Output port buffers data being input to a processing element.).

17. As per claim 23:

Higuchi disclosed the coprocessor of claim 1, further comprising a master cell for forwarding array programs to the processing cells of the two-dimensional array (Higuchi: Figure 1 element 140, column 8 lines 44-50)(The host processor is the master cell that loads programs to the 2-D array.).

18. As per claim 24:

The additional limitation(s) of claim 24 basically recite the additional limitation(s) of claim 1. Therefore, claim 24 is rejected for the same reason(s) as claim 1.

19. Claim 2 is rejected under 35 U.S.C. §103(a) as being unpatentable over Higuchi et al. (U.S. 5,822,605), further in view of Miyamori et al. ("REMARC: Reconfigurable multimedia array coprocessor").

20. As per claim 2:

Higuchi disclosed the coprocessor of claim 1.

Higuchi failed to teach the array comprises a systolic processing array.

However, Miyamori discloses the array comprises a systolic processing array (Miyamori: Figure 2, page 396 column 1 paragraph 2).



The advantage of arranging a reconfigurable architecture in a systolic manner is that it can exploit fine-grained parallelism and achieve higher performance versus other multimedia extensions (Miyamori: Page 389 column 2 paragraph 2). One of ordinary skill in the art would have been motivated by this advantage to allow for systolic processing on the processing array of Higuchi. Thus, it would have been obvious to one of ordinary skill in the art at the time of the invention to implement systolic processing on the array of Higuchi to gain increased performance by exploiting fine-grained parallelism.

21. Claims 4 and 17-18 are rejected under 35 U.S.C. §103(a) as being unpatentable Higuchi et al. (U.S. 5,822,605), further in view of Barat et al. ("Reconfigurable instruction set processor: An implementation platform for interactive multimedia applications").

22. As per claim 4:

Higuchi disclosed the coprocessor of claim 1.

Higuchi failed to teach wherein the coprocessor performs mathematical operations whose timing is based on a flow of input operands along the paths.

However, Barat disclosed wherein the coprocessor performs mathematical operations whose timing is based on a flow of input operands along the paths (Barat: Page 484 column 1 paragraph 2)(The compiler generates code with timing delays of the processing elements and interconnects in mind. Official notice is given that instructions executed on a processor can include mathematical operations that use operands.

Thus, it's obvious to one of ordinary skill in the art that the instructions executed are mathematical operations that use operands.).

The advantage of the reconfiguration method of Barat is that it allows for a compiler to more efficiently execute loops by storing configurations locally (Barat: Page 483, section 2.2 paragraph 2). One of ordinary skill in the art would have been motivated by this advantage to implement it within the processor of Higuchi. Thus, one of ordinary skill in the art at the time of the invention would have implemented the reconfiguration method of Barat into the processor of Higuchi for the advantage of more efficiently executing loops.

23. As per claim 17:

Higuchi disclosed a system including the functional unit of claim 16.

Higuchi failed to teach an array program generator for generating the array programs to be transmitted, and, when needed, updating a program, transmitting the updated program, and transmitting concurrently, when needed, a reconfigure signal to said mechanism to correspondingly update a current steady state connection pattern of said information paths.

However, Barat disclosed an array program generator for generating the array programs to be transmitted (Barat: Page 483, section 2.2 paragraph 2)(The compiler generates programs executed on the array of Higuchi.), and, when needed, updating a program, transmitting the updated program, and transmitting concurrently, when needed, a reconfigure signal to said mechanism to correspondingly update a current steady state connection pattern of said information paths (Barat: Page 483, section 2.2

paragraph 1)(The ROP field will be a signal to update the reconfigurable microcomputer clusters of Higuchi to be able to execute an instruction. The instruction that is executed is also transferred to the array to be executed.).

The advantage of the reconfiguration method of Barat is that it allows for a compiler to more efficiently execute loops by storing configurations locally (Barat: Page 483, section 2.2 paragraph 2). One of ordinary skill in the art would have been motivated by this advantage to implement it within the processor of Higuchi. Thus, one of ordinary skill in the art at the time of the invention would have implemented the reconfiguration method of Barat into the processor of Higuchi for the advantage of more efficiently executing loops.

24. As per claim 18:

Higuchi and Barat disclosed the system of claim 17, further including a compiler configured for receiving, in response to said program updating data representative of input and output timing for said unit (timing delay) and further configured for compiling an instruction based on said data (Barat: Page 484 column 1 paragraph 2)(The compiler generates code with timing delays of the processing elements and interconnects in mind.).

25. Claims 20 and 25 are rejected under 35 U.S.C. §103(a) as being unpatentable over Higuchi et al. (U.S. 6,434,689), in view of Cloutier (U.S. 5,892,962.).

26. As per claim 20:

Higuchi disclosed a method for interfacing a coprocessor to a main processor, comprising the steps of:

configuring the coprocessor to comprise a two-dimensional array of processing cells (Higuchi: Figure 1 element 100) and to have an execution speed greater than that of said processor (Higuchi: Figure 1 elements 100 and 140, column 8 lines 33-50)(Element 140 is the main processor and all of the processing element (100) combined make up the coprocessor. It's obvious to one of ordinary skill in the art that the coprocessor is faster executing instructions than the host processor.), the processing cells comprising non-periphery cells and periphery cells surrounding the non-periphery cells (Higuchi: Figure 1 element 100)(The processing elements make up a 2-d array. The processing elements on the outside of the 2-d array make up the periphery cells and the inner four processing elements are the non-periphery cells.);

communicatively connecting the periphery cells to said processor by an interface module having a mechanism for reconfiguring a plurality of information paths between the interface module and respective said periphery cells (Higuchi: Figures 1 and 3 elements 132-139 and 116, column 8 lines 33-40 and column 15 lines 1-7)(The crossbar network connects the periphery cells to the processor and can be reconfigured pathwise by selector and address decoders of the exchange switch.).

Higuchi failed to teach communicatively connecting each of the non-periphery cells only to the processing cells that are immediately neighboring the non-periphery cell.

However, Cloutier disclosed communicatively connecting each of the non-periphery cells only to the processing cells that are immediately neighboring the non-periphery cell (Cloutier: Figure 1 element 104)(The combination uses the bus routing of Cloutier for the non-periphery cells of Higuchi. The bus routing of Cloutier allows for a non-periphery processing element to connect to only the nearest neighbors.).

The bus routing of Higuchi requires a bus for each connection between all processing elements for each row and column. The advantage of the bus routing of Cloutier is that it reduces the number of buses required for sending data between processing elements, which reduces the required chip space to implement the processing array. One of ordinary skill in the art would have been motivated by this advantage to implement the bus routing of Cloutier into the non-periphery processing elements of Higuchi. Thus, it would have been obvious to one of ordinary skill in the art to implement the bus routing scheme of Cloutier in the non-periphery processing elements of Higuchi for the advantage of reduced chip space requirements.

27. As per claim 25:

The additional limitation(s) of claim 25 basically recite the additional limitation(s) of claim 1. Therefore, claim 25 is rejected for the same reason(s) as claim 1.

### ***Response to Arguments***

28. The arguments presented by Applicant in the response, received on 8/27/2008 are not considered persuasive.

29. Applicant argues "However, as Roussakov does not even appear to disclose all features of claim 20 not found in Fleck et al., such as for example, "communicatively connecting each of the non-periphery cells only to the processing cells that are immediatly neighboring the non-periphery ceil," Applicants do not see how one skilled in the art would have been motivated or found any reason to combine Fleck and Roussakov to arrive at the claimed embodiment of claim 20."

This argument is found to be persuasive for the following reason. The examiner agrees that the previous combination failed to read on the newly claimed limitations. However, a new ground of rejection has been given.

30. Applicant argues "As recited above, the Examiner appears to construe elements 30-32 as both the periphery cells located at peripheral sides of the array and input pads for the processing element. Applicants respectfully submit that the elements 30-32 cannot be both the periphery cells and the input pads. Therefore, at least one element of claim 1 is missing from Higuchi et al. as construed by the Examiner" for claim 1.

This argument is not found to be persuasive for the following reason. After looking at figure 2 within the drawings, the examiner believes that the periphery cells are intended to be the periphery cells of the 2-d processing array. The examiner has clarified the rejection to show that the periphery processing elements of the 2-d array 100 reads upon the claimed limitations. Thus, the examiner has shown that element 100 reads upon both the 2-d array and the periphery cells on the side of the array.

31. Applicant argues "Further, on page 6 of the Office Action, the Examiner appears to equate the element 305 of FIG. 3 of Higuchi et al. with "a plurality of border cells" in

claim 1. However, the element 305 in FIG. 3 of Higuchi et al. appears to be merely an output port, and there is no indication that these output ports surround a two-dimensional array of processing cells" for claim 1.

This argument is not found to be persuasive for the following reason. The border cells within the specification are described as containing a buffer. Buffers store/hold data temporarily. The output ports cited as reading on the border cells temporarily store output data. Thus, they are correctly read as border cells. The output ports contained within the exchange switches on the periphery of the 2-d array are the border cells that surround the 2-d array.

In addition, the examiner notes that the 2-d array can be considered the inner 4 processing elements and the exchange switches on the outside of the inner 4 processing elements surround them.

32. Applicant argues "By way of example, in rejecting claim 5, the Examiner asserts that "Official notice is given that the 2-D array can be configured to limit processing element message passing to the nearest neighbor elements. Thus it's obvious to one of ordinary skill in the art that processing element message passing is limited to the processing element's nearest neighbors." Applicants submits that this appears to be another impermissible hindsight reconstruction. Applicants respectfully request that the Examiner provide a proper reference to support the official notice or the rejection be withdrawn. Also, for any determination of obviousness, there must be at least an apparent reason why one skilled in the art would have modified the teachings of the cited reference to arrived at the claimed invention" for claim 5.

A reference has been used to reject the limitation instead of the previous official notice, even though the applicant has failed to properly overcome the official notice in view of MPEP 2144.03.

33. Applicant argues "However, according to Col. 15, lines 25-28, "FIG. 5 is a schematic circuit diagram showing the structure of the X-coordinate crossbar switch XB-X 1. This XB structure is the same as that of the other XB-Xi (i = 2 or 3) or of the Y-coordinate crossbar switches XB-Yj (i = 0, 1 or 2)." (emphasis added). Therefore, it appears that the crossbar control controls message paths to all of the processing elements, and does not teach "reconfiguring a plurality of intra-processor information paths to the array to respective said periphery cells only." Therefore, Higuchi et al. does not disclose at least one limitation of claim 13, and does not anticipate claim 13. Therefore, Applicants request that the rejection of claim 13 be withdrawn and that this claim be allowed." for claim 13.

This argument is found to be persuasive for the following reason. The crossbar switches in figures 5-6 show the details of the crossbar elements in figure 1 elements 132-139. The examiner is now only citing the crossbar elements that service the periphery cells. Thus, these 4 crossbar elements read upon the claimed limitation.

### ***Conclusion***

The following is text cited from 37 CFR 1.111(c): In amending in reply to a rejection of claims in an application or patent under reexamination, the applicant or patent owner must clearly point out the patentable novelty which he or she thinks the



claims present in view of the state of the art disclosed by the references cited or the objections made. The applicant or patent owner must also show how the amendments avoid such references or objections.

Any inquiry concerning this communication or earlier communications from the examiner should be directed to Jacob Petranek whose telephone number is 571-272-5988. The examiner can normally be reached on M-F 8:00-4:30.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Eddie Chan can be reached on (571) 272-4162. The fax phone number for the organization where this application or proceeding is assigned is 703-872-9306.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see <http://pair-direct.uspto.gov>. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free).

/Eric Coleman/  
Primary Examiner, Art Unit 2183

Jacob Petranek  
Examiner, Art Unit 2183